

**SAFETY
JOGGER**
WORKS

**COMFORT
THAT LASTS**



Play movie



EUROPE
Meersbloem Melden 42
9700 Oudenaarde
Belgium

UNITED STATES
Fitron Americas Inc
suite220, 9250 Wilshire Blvd.
Beverly Hills CA90212-USA

CHINA
Niu Dun Industrial estate
Hengli, Wang Niu Dun, Dongguan
Guangdong Province
China (postal code 523216)
广东省东莞市望牛墩镇横沥村牛顿工业区
二楼直销部 (邮编523216)
Phone: +86 769 3901 8500
safetyjogger@cortinachina.com

MODULO S1PS LOW PERF

Phone: +32 55 33 44 44
info@safetyjogger.com

Phone: +1 877 669 9727
info@fitronamericas.com

**SAFETY
JOGGER**
WORKS

LEAFLET
Worldwide 01/2024

**ENGINEERED
IN EUROPE**

**HEAD-TO-TOE
PROTECTION**

SHOWROOM.SAFETYJOGGER.COM
WWW.SAFETYJOGGER.COM



















**ALWAYS IN STOCK
BEST PRICE GUARANTEE**

More than 70 years of experience


At Safety Jogger, we have more than 70 years of experience in developing footwear and apparel. What started as a small factory in Belgium called **Cortina** quickly grew into a global business that consists of many brands - with **Safety Jogger** being one of the main ones.

Today, we are a **leading brand of certified personal protective equipment**, with a presence in more than **130 markets**. As a multcategory brand, we develop a complete range of footwear, overshoes, workwear, head protection, gloves and accessories. This to ensure safety for all professions in **industrial, professional and tactical** industries.

 <p>1950 Start of a small shoe factory in Belgium, named Cortina</p>	 <p>1960 Import of footwear from Italy, Europe</p>	 <p>1980 One of the first European companies to start importing from the Far East and China</p>	 <p>1981 Launch of the Cortina safety footwear collection</p>
 <p>1990 Registration of the Safety Jogger brand name in Benelux</p>	 <p>2000 Launch of the Safety Jogger brand in Europe</p>	 <p>2007 Selling of the first pair of Safety Jogger footwear in Asia</p>	 <p>2011 Development and manufacturing of the Safety Jogger work gloves collection</p>
 <p>2013 Acquisition of 'Oxypas', the n°1 brand for medical and professional footwear</p>	 <p>2014 Launch of Safety Jogger in Russia</p>	 <p>2015 Safety Jogger goes USA</p>	 <p>2017 Acquisition of the leading German safety footwear brand 'Maxguard'</p>
 <p>2017 Traction by Shoes for Crews</p>	 <p>2018 Launch of the lightweight and tactical collection</p>	 <p>2020 Acquisition of 'Tiger Grip', market leader in slip-resistant and safety overshoes</p>	 <p>2022 Launch of workwear and head protection.</p>


Online Shop Package

Here is Digital Asset For You : order.safetyjogger.com



Video
Campaign & Product


Photo
Lifestyle in working environment




GIF
Easy to post on social media



Academy Training
Learn by video for all detail



LOGO file and how to use it...
Keep SJ Works in consistent



And More...

WORLDWIDE CERTIFICATES

No safety shoe without the right certifications

We are present worldwide and deliver certified products that meet global safety standards.

No matter what country you live in.
No matter which safety product you are interested in.
We provide the right certifications for your region!

Safety Jogger's safety footwear is certified in accordance with the global standard for safety footwear.



Need a specific certificate for your area that we don't have yet? Let us know and we'll make it happen!

Our certification label explained

QR code to verify product authenticity

Order number
Product reference



CE and UKCA marking, indicating compliance with the highest safety, health and environmental protection requirements

Size

Manufacturing date


Standard and obtained protection category

Additional standards and their protection categories

Manufacturer and address

Country of production

Material composition of the upper, lining and outsole



QUALITY IS KEY

By developing in our own facilities and inspecting all materials in our specialized test laboratory, we can monitor every aspect of our products. From design and construction to the final distribution. This way, all products are manufactured according to Safety Jogger's quality standards.

As a result, we are certified by the most known institutes in the industry and can guarantee our products meet the highest norms when it comes to protection.

Innovation in every step:

- ✓ Specialized **test lab**
- ✓ Advanced **R&D facilities** in Europe and Asia
- ✓ Experienced **footwear professionals**
- ✓ Use of the latest **footwear technology**
- ✓ **Certified** worldwide
- ✓ Modern **on-site sample room**
- ✓ State-of-the-art **machinery**
- ✓ Continuous **investments** in innovation and development





LIGHT APPLICATION

Light application footwear is engineered for dry environments. Wearers of this type of footwear typically work indoors, on relatively even floors. Examples of light application industries are logistics, assembly or even catering.



MEDIUM APPLICATION

Medium application footwear is engineered for both wet and dry environments with more robust requirements. People wearing this type of footwear usually have to carry out tougher jobs or kneeling activities. These shoes and boots can be used both indoors and outdoors and are therefore more all-round, but less fit for extreme circumstances. Examples of medium application industries are light construction, oils and gas industry or utility.



HEAVY APPLICATION

Heavy application footwear is engineered for dirty, muddy and rocky environments. People wearing this type of footwear mostly work outdoors and have to walk on uneven surfaces that demand high stability and protection of their feet. Examples of heavy application industries are road construction, building construction, or even mining.

THE NEW STANDARD FOR SAFETY FOOTWEAR EXPLAINED - EN ISO 20345:2022

Standards for PPE products are regularly reviewed and adapted when necessary. This is also the case for EN ISO 20345. Until June 2022, the 2011 version of the standard was in place. From then on, the updated 2022 standard came into effect.

Certificates do not expire when a standard is updated. This means the certificates of all shoes certified to EN ISO 20345:2011 remain valid until their expiration date (which is 5 years from the date of issue).

	CLASS 1 made from leather, textiles or synthetic materials										CLASS 2 made from rubber or polymeric materials					
	SB	S1	S1P	S1PL	S2	S3	S3S	S3L	S6	S7	S7S	S7L	SB	S4	S5	S5L
Toe protection (≥200 Joule)																
Basic slip resistance (ceramic floor + soap solution)																
Closed heel																
A Antistatic																
E Heel energy absorption																
WPA Water penetration and absorption																
WR Waterproof																
P Metallic puncture resistant midsole (4.5mm nail)																
NEW PL / L Non-metallic puncture resistant midsole PL = large nail 4.5mm PS = slim nail 3mm																
Cleated outsole (cleat height ≥ 2,5mm)																

MORE MADE FROM LESS

Discover our entire eco collection on safetyjogger.com



ECONILA



10-12
PET
bottles



Each pair of ECONILA contains no less than 10-12 PET bottles worth of ocean waste and is therefore GRS certified. That way, these safety shoes not only protect your feet, but also our planet.



LIGHT APPLICATION

ECO



MORRIS S1P

Upper	Knitted Recycled Textile, Recycled Microfibre
Sole	Phylon+natural rubber
Toecap	Nano carbon
Midsole	Nonwoven
Lining	Recycled Mesh
Footbed	SJ Foam Footbed
Category	S1P ESD SRC
Size Range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 KOR 230-310 • JPN 21.5-31.0



ECOLOBI S1P LOW TLS

Upper	Recycled Mesh, Recycled Microfibre
Sole	Phylon/Rubber
Toecap	Composite
Midsole	Anti-puncture textile plate
Lining	Recycled breathable mesh
Footbed	SJ Foam
Category	S1 PS ESD FO HRO SR
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



ECOFITZ S1P LOW

Upper	Knitted Recycled Textile
Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Recycled breathable mesh
Footbed	SJ Foam
Category	S1 P ESD FO SR
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



ECONILA S1 LOW

Upper	Knitted Recycled Textile, Recycled Microfibre
Sole	Phylon/Rubber
Toecap	Composite
Midsole	N/A
Lining	Recycled breathable mesh
Footbed	SJ Foam
Category	S1 ESD FO HRO SR
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



ECODESERT S1P MID

Upper	Recycled canvas
Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Recycled breathable mesh
Footbed	SJ Foam
Category	S1 P FO SR
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



LIGHT APPLICATION

LIGHTWEIGHT



LIGERO2 S1P MID TLS

Upper	Textile
Sole	BASF PU
Toecap	Nano carbon
Midsole	Puncture resistant aramid
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1 P ESD SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



ABSOLUTE S1P

Upper	Mesh
Sole	Impact phylon + natural rubber
Toecap	Nano carbon
Midsole	Puncture resistant lightweight
Lining	Breathable technomesh
Footbed	SJ Foam
Category	S1 P ESD SRC CI
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



LOBI S1P LOW TLS

Upper	Synthetic
Sole	Phylon/Rubber
Toecap	Composite
Midsole	Anti-puncture textile plate
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1 PS ESD FO HRO SR
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



LIGERO2 S1P LOW

Upper	Textile
Sole	BASF PU
Toecap	Nano carbon
Midsole	Puncture resistant aramid
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1 P ESD SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



LIGERO S1P

Upper	Mesh
Sole	Impact phylon + natural rubber
Toecap	Nano carbon
Midsole	Puncture resistant lightweight
Lining	Breathable technomesh
Footbed	SJ Foam
Category	S1 P ESD SRC CI
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



AAK S1P LOW

Upper	Synthetic, Textile
Sole	Phylon/Rubber
Toecap	Composite
Midsole	Anti-puncture textile plate
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1 PS ESD FO HRO SR
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



LIGHT APPLICATION

LIGHTWEIGHT



MILOS S1P MID

Upper	Synthetic, Textile
Sole	Phylon/Rubber
Toecap	Composite
Midsole	Anti-puncture textile plate
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1 PS ESD FO HRO SR
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



PACCO S2PS LOW TLS

Upper	Synthetic Leather
Sole	Phylon/Rubber
Toecap	Composite
Midsole	Anti-puncture textile plate
Lining	Breathable mesh
Footbed	SJ Foam
Category	S2 PS ESD SR
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



TANA P1

Upper	Synthetic Leather
Sole	Phylon/Rubber
Toecap	PC wide toecap
Midsole	N/A
Lining	Breathable mesh
Footbed	SJ Foam
Category	P1 ESD FO HRO SR
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5

AZUMA

Upper	Mesh
Sole	Phylon/Rubber
Toecap	PC wide toecap
Midsole	N/A
Lining	Breathable mesh
Footbed	SJ Foam
Category	ESD FO SR
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



MILOS S1P LOW

Upper	Synthetic, Textile
Sole	Phylon/Rubber
Toecap	Composite
Midsole	Anti-puncture textile plate
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1 PS ESD FO HRO SR
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5




PACCO S1P LOW

Upper	Synthetic Leather
Sole	Phylon/Rubber
Toecap	Composite
Midsole	Anti-puncture textile plate
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1 PS ESD SR
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



ALTO TLS

Upper	Synthetic, Textile
Sole	Phylon/Rubber
Toecap	PC wide toecap
Midsole	N/A
Lining	Breathable mesh
Footbed	SJ Foam
Category	ESD FO SR
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



LIGHT APPLICATION

SPORTS



CADOR S1P MID

Upper	Mesh
Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1 P ESD FO SR
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



CADOR S1P

Upper	Mesh
Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1 P ESD FO SR
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



CADOR S1P MID TLS

Upper	Mesh
Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1 P ESD FO SR
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



CADOR S1P LOW TLS

Upper	Mesh
Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1 P ESD FO SR
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



LIGHT APPLICATION

SPORTS



CADOR S1P SANDAL

Upper	Mesh
Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1 P ESD FO SR
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



FLOW S1P MID TLS

Upper	Mesh
Sole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1 P ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



FLOW S1P LOW

Upper	Mesh
Sole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1 P ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



YUKON S1P

Upper	Textile
Sole	PU/PU
Toecap	Steel
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ Foam
Category	S1 P ESD SRC
Size Range	EU 35-47 • UK3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



FLOW S1P SANDAL TLS

Upper	Synthetic Nubuck
Sole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1 P ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



FLOW S1P LOW TLS

Upper	Mesh
Sole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Breathable mesh
Footbed	SJ Foam
Category	S1 P ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



BALTO S1

Upper	Synthetic, Textile
Sole	Phylon/Rubber
Toecap	Steel
Midsole	-
Lining	Imbkmesh
Footbed	SJ Foam
Category	S1 SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



RAPTOR S1P

Upper	Mesh, Nubuck Action Leather
Sole	Phylon+Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Coolmax®
Footbed	SJ Foam
Category	S1 P SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 235-310 • JPN 22.5-31.0



LIGHT APPLICATION

SPORTS



SPEEDY S3

Upper Nubuck Action Leather
 Sole PU/Rubber
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Mesh
 Footbed SJ Foam
 Category S3 SRC HRO
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 235-310 • JPN 22.5-31.0



TURBO S3

Upper Nubuck Action Leather
 Sole PU/Rubber
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Mesh
 Footbed SJ Foam
 Category S3 SRC HRO
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



FITZ S1P

Upper Knitted Textile
 Sole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S1P / SRC
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



BLK

LIGHT APPLICATION

LADIES



BOTANIC S1P

Upper Suede Leather
 Sole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Cotton
 Footbed SJ Foam
 Category S1 P SRC
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 230-270 • JPN 21.5-26.5



ORGANIC S1P

Upper Suede Leather
 Sole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Cotton
 Footbed SJ Foam
 Category S1 P SRC
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 230-270 • JPN 21.5-26.5


BESTGIRL S3

Upper Barton Action Leather
 Sole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Mesh nylon
 Footbed SJ Foam
 Category S3 SRC
 Size Range EU 36-42 • UK 3.5-8 • US 6-10.5
 KOR 235-270 • JPN 22.5-26.5



CERES S3

Upper Nubuck Action Leather
 Sole Rubber
 Toecap Composite
 Midsole Puncture resistant SJ FLEX
 Lining Mesh nylon
 Footbed SJ Foam
 Category S3 SRC HRO
 Size Range EU 36-42 • UK 3.5-8 • US 6-10.5
 KOR 235-270 • JPN 22.5-26.5



COMFORT THAT LASTS



Discover our MODULO range on safetyjogger.com

MODULO S1PS LOW PERF

MEDIUM APPLICATION

COMFORT



NEW

MODULO S3S LOW TLS

Upper	Microfiber
Sole	BASF PU/BASF PU
Toecap	Nano carbon
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ Foam Footbed
Category	S3S ESD FO SR SC
Size Range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 KOR 230-315 • JPN 21.5-31.5



NEW

MODULO S3S MID TLS

Upper	Microfiber
Sole	BASF PU/BASF PU
Toecap	Nano carbon
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ Foam Footbed
Category	S3S ESD FO SR SC
Size Range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 KOR 230-315 • JPN 21.5-31.5



NEW

MODULO S3S LOW

Upper	Microfiber
Sole	BASF PU/BASF PU
Toecap	Nano carbon
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ Foam Footbed
Category	S3S ESD FO SR SC
Size Range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 KOR 230-315 • JPN 21.5-31.5



NEW

MODULO S3S MID

Upper	Microfiber
Sole	BASF PU/BASF PU
Toecap	Nano carbon
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ Foam Footbed
Category	S3S ESD FO SR SC
Size Range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 KOR 230-315 • JPN 21.5-31.5



NEW

MODULO S1PS LOW PERF

Upper	Microfiber
Sole	BASF PU/BASF PU
Toecap	Nano carbon
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ Foam Footbed
Category	S1 PS ESD FO SR SC
Size Range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 KOR 230-315 • JPN 21.5-31.5



MEDIUM APPLICATION

CLASSIC



MAGO S3 MID

EXTRA WIDE TOE CAP

Upper	Pull-up Leather
Sole	Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 SRC HRO
Size Range	EU 36-47 • UK 3.5-12 US 4-13 KOR 235-310 • JPN 22.5-31.0



DYNAMICA S3

Upper	Textile
Sole	PU/PU
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Coolmax®
Footbed	SJ Foam
Category	S3 ESD SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 235-310 • JPN 22.5-31.0



JACKMAN S3

EXTRA WIDE TOE CAP

Upper	Pull-up Leather
Sole	Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ Foam
Category	S3 FO HRO SR
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 235-315 • JPN 22.5-31.5



**X1110 S3
X1100N S3**

Upper	Nappa Action Leather
Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Cambrella
Footbed	SJ Foam
Category	S3 SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



MEDIUM APPLICATION

CLASSIC



BESTFIT S1P

Upper Nappa Action Leather
 Sole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Cambrella
 Footbed SJ Foam
 Category S1P / SRC
 Size Range EU 36-48 • UK 3.5-13 • US 4-13.5
 KOR 235-315 • JPN 22.5-31.5

BLK



BESTZIP S3

Upper Barton Action Leather
 Sole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S3 / SRC
 Size Range EU 36-48 • UK 3.5-13 • US 4-13.5
 KOR 235-315 • JPN 22.5-31.5



BESTRUN251 S3

Upper Barton Action Leather
 Sole BASF PU/Rubber
 Toecap Steel
 Midsole Steel
 Lining Mesh nylon
 Footbed SJ Foam
 Category S3 / SRC
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 235-310 • JPN 22.5-31.0



MANAGER S3

Upper Nappa Action Leather
 Sole PU/PU
 Toecap Composite
 Midsole Puncture resistant SJ FLEX
 Lining Cambrella
 Footbed SJ Foam
 Category S3 / SRC ESD
 Size Range EU 38-47 • UK 5-12 • US 5.5-13
 KOR 250-310 • JPN 24.0-31.0



BESTRUN231 S3

Upper Barton Action Leather
 Sole BASF PU/PU
 Toecap Steel
 Midsole Steel
 Lining Mesh nylon
 Footbed SJ Foam
 Category S3 / SRC
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



MEDIUM APPLICATION

CLASSIC



LABOR S3

EXTRA WIDE TOE CAP

Upper Barton Action Leather
 Sole Rubber
 Toecap Steel
 Midsole Steel
 Lining Mesh nylon
 Footbed SJ Foam
 Category S3 / SRC HRO
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



SAFETYRUN S1P

Upper Barton Action Leather
 Sole PU
 Toecap Steel
 Midsole Steel
 Lining Mesh nylon
 Footbed SJECO EVA
 Category S1P / SRC
 Size Range EU 36-47 • UK 3.5-12 US 4-13
 KOR 235-310 • JPN 22.5-31.0



RENA S3

EXTRA WIDE TOE CAP

Upper Barton Action Leather
 Sole Rubber
 Toecap Steel
 Midsole Steel
 Lining Mesh nylon
 Footbed SJ Foam
 Category S3 / SRC HRO
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



SAFETYSTAR S3

Upper Barton Action Leather
 Sole PU
 Toecap Steel
 Midsole Steel
 Lining Mesh nylon
 Footbed SJ ECO EVA
 Category S3 / SRC
 Size Range EU 36-47 • UK 3.5-12 US 4-13
 KOR 235-310 • JPN 22.5-31.0



MEDIUM APPLICATION

CLASSIC



CONSTRUBOY S3 MID

Upper Full Grain Leather
Sole BASF PU
Toecap Steel
Midsole Steel
Lining Breathable mesh
Footbed SJ Foam
Category S3 / SRC
Size Range EU 35-48 • UK3-13 • US 3-13.5
KOR 230-315 • JPN 21.5-31.5



CONSTRUBOY S3 LOW

Upper Full Grain Leather
Sole BASF PU
Toecap Steel
Midsole Steel
Lining Breathable mesh
Footbed SJ Foam
Category S3 / SRC
Size Range EU 35-48 • UK3-13 • US 3-13.5
KOR 230-315 • JPN 21.5-31.5



EOS S3

Upper Nappa Action Leather
Sole PU/PU
Toecap Composite
Midsole Puncture resistant SJ FLEX
Lining Mesh nylon
Footbed SJ Foam
Category S3 / SRC ESD
Size Range EU 36-47 • UK 3.5-12 • US 4-13
KOR 235-310 • JPN 22.5-31.0



AURA S3

Upper Nappa Action Leather
Sole PU/PU
Toecap Composite
Midsole Puncture resistant SJ FLEX
Lining Mesh nylon
Footbed SJ Foam
Category S3 / SRC ESD
Size Range EU 35-47 • UK 3-12 • US 3-13
KOR 23-31 • JPN 22.5-31.0



MEDIUM APPLICATION

BALI SERIES



BALIRUGER S3

Upper Microfiber
Sole BASF PU
Toecap Steel
Midsole Steel
Lining Cambrella
Footbed SJ Foam Footbed
Category S3 FO SR
Size Range EU 35-48 • UK 3.0-13.0 US 3.0-13.5
KOR 230-315 • JPN 21.5-31.5



BALIBOY S3

Upper Microfiber
Sole BASF PU
Toecap Steel
Midsole Steel
Lining Mesh
Footbed SJ Foam Footbed
Category S3 FO SR
Size Range EU 37-46 • UK 4.0-11.0 US 4.5-12.0
KOR 240-300 • JPN 23.0-30.0



BALIRUN S3

Upper Microfiber
Sole BASF PU
Toecap Steel
Midsole Steel
Lining Mesh
Footbed SJ Foam Footbed
Category S3 FO SR
Size Range EU 36-47 • UK 3.5-12.0 US 4.0-13.0
KOR 235-310 • JPN 22.5-31.0



BALIFUSION S3

Upper Microfiber
Sole BASF PU
Toecap Steel
Midsole Steel
Lining Cambrella
Footbed SJ Foam Footbed
Category S3 FO SR
Size Range EU 36-46 • UK 3.5-11.0 US 4.0-12.0
KOR 235-300 • JPN 22.5-30.0



MEDIUM APPLICATION

SPORTS



CADOR S3 MID TLS

Upper Synthetic Nubuck
Sole PU/PU
Toecap Steel
Midsole Steel
Lining Breathable mesh
Footbed SJ Foam
Category S3 / ESD SRC
Size Range EU 35-48 • UK3-13 • US 3-13.5
KOR 230-315 • JPN 21.5-31.5



CADOR S3 LOW TLS

Upper Synthetic Nubuck
Sole PU/PU
Toecap Steel
Midsole Steel
Lining Breathable mesh
Footbed SJ Foam
Category S3 / ESD SRC
Size Range EU 35-48 • UK3-13 • US 3-13.5
KOR 230-315 • JPN 21.5-31.5



MEDIUM APPLICATION

SPORTS



FLOW S3 MID TLS

Upper	Synthetic Nubuck
Sole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



FLOW S3 LOW TLS

Upper	Synthetic Nubuck
Sole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



CADOR S3 MID

Upper	Synthetic Nubuck
Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



CADOR S3 LOW

Upper	Synthetic Nubuck
Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



FLOW S3 MID

Upper	Synthetic Nubuck
Sole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



FLOW S3 LOW

Upper	Synthetic Nubuck
Sole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Breathable mesh
Footbed	SJ Foam
Category	S3 / ESD SRC
Size Range	EU 35-48 • UK3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



XPLORE S3

Upper	Suede Leather
Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Mesh
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 KOR 250-310 • JPN 24.0-31.0



MEDIUM APPLICATION

HIKING



X2020P31 S3

X200031 S3

Upper	Suede Leather
Sole	BASF PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 235-31 • JPN 22.5-31.0 EU 37-47 • UK 4-12 • US 4.5-13 KOR 240-310 • JPN 23.0-31.0



011

DESERT S1P

Upper	Cotton
Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Cotton
Footbed	SJ Foam
Category	S1P / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 235-310 • JPN 22.5-31.0



018

DAKAR S3

Upper	Pull-up Leather
Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh suede
Footbed	SJ Foam
Category	S3 / SRC
Size Range	019: EU 35-47 • UK 3.0-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0 018: EU 36-47 • UK 3.5-12 • US 4-13 KOR 235-310 • JPN 22.5-31.0



019

SAHARA S3

Upper	Pull-up Leather, Textile
Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh suede
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 235-310 • JPN 22.5-31.0



JUMPER31 S3

CLIMBER31 S3

Upper	Suede Leather, Textile
Sole	BASF PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ-Flex
Lining	Mesh nylon
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



NAV

BLK

GOBI S1P

Upper	Suede Leather
Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Footbed	SJ Foam
Category	S1P / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



zipper

BRN

RUSH S3

Upper	Pull-up Leather, Textile
Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh suede
Footbed	SJ Foam
Category	S3 / SRC
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 235-315 • JPN 22.5-31.5





MEDIUM APPLICATION SNEAKERS



OBELIX S3 EXTRA WIDE TOE CAP UNISEX

Upper Suede Leather
 Sole Rubber
 Toecap Aluminium
 Midsole Puncture resistant SJ FLEX
 Lining Nalo mesh
 Footbed SJ Foam
 Category S3 / SRC ESD HRO
 Size Range EU 35-48 • UK 3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



CERRO S3 MID EXTRA WIDE TOE CAP

Upper Pull-up Leather
 Sole Rubber
 Toecap Aluminium
 Midsole Puncture Resistant SJ FLEX
 Lining Mesh polyester
 Footbed SJ Foam
 Category S3 / SRC ESD HRO
 Size Range EU 36-48 • UK 3.5-13 • US 4-13.5
 KOR 235-315 • JPN 22.5-31.5



HAVEN S3 EXTRA WIDE TOE CAP

Upper Full Grain Leather
 Sole Rubber
 Toecap Nano Carbon
 Midsole Nonwoven
 Lining Nalo mesh
 Footbed SJ Foam
 Category S3 / SRC ESD HRO
 Size Range EU 35-48 • UK 3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5

MEDIUM APPLICATION FOOD & SHOES FOR CREWS



GUSTO S2

Upper Nappa Action Leather
 Sole PU/PU
 Toecap Steel
 Midsole -
 Lining Mesh nylon
 Footbed SJ Foam
 Category S2 / SRC
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



X0500 S2

Upper Nappa Action Leather
 Sole PU/PU
 Toecap Steel
 Midsole -
 Lining Nylon
 Footbed SJ Foam
 Category S2 / SRC
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 235-310 • JPN 22.5-31.0



POSEIDON S4

Upper SJ PVC
 Sole PVC
 Toecap Steel
 Midsole -
 Lining Textile
 Footbed -
 Category S4 / SRA
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 235-310 • JPN 22.5-31.0



DOLCE S3

Upper Nappa Action Leather
 Sole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam
 Category S3 / SRC
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



NEW

X0600 S3

Upper Nappa Action Leather
 Sole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Cambrella
 Footbed SJ Foam Footbed
 Category S3 / SRC
 Size Range EU 36-47 • UK3.5-12 • US 4-13
 KOR 235-310 • JPN 22.5-31.0



SAFETYCLOG PB

Standard CE standard EN ISO 20346 PB SRC
 Slip resistant SRC
 Anti-static -
 Toe cap Composite 200 Joules
 Material EVA+Rubber outsole
 Footbed SJ Foam
 Maintenance Washable at 30°C
 Chemically and UV sterilisable
 Weight ca. 250 gr. per shoe
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



MEDIUM APPLICATION

FOOD & SHOES FOR CREWS



BESTLIGHT1

Upper	Expanded EVA
Sole	EVA/Rubber
Toecap	-
Midsole	-
Lining	EVA
Footbed	EVA
Category	SB / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 235-310 • JPN 22.5-31.0



BRIO S2

Upper	Waterproof Leather
Sole	Impact oil resistant phylon + natural rubber
Toecap	Nano carbon
Midsole	-
Lining	Breathable technomesh
Footbed	SJ Foam
Category	S2 / SRC ESD
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 235-310 • JPN 22.5-31.0



X1100N81 S3

Upper	Nappa Action Leather
Sole	PU/Rubber
Toecap	Steel
Midsole	Steel
Lining	Cambrella
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 235-315 • JPN 22.5-31.5



X11081 S3

Upper	Nappa Action Leather
Sole	PU/Rubber
Toecap	Steel
Midsole	Steel
Lining	Cambrella
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 235-315 • JPN 22.5-31.5



GUST081 S3

Upper	Nappa Action Leather
Sole	PU/Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 35-48 • UK 3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



DOLCE81 S3

Upper	Nappa Action Leather
Sole	PU/Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ Foam
Category	S3 / SRC HRO
Size Range	EU 35-48 • UK 3-12 • US 3.5-13 KOR 230-315 • JPN 21.5-31.5



ROCKET81 S1P

Upper	Nubuck Action Leather
Sole	Phylon/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Coolmax®
Footbed	SJ Foam
Category	S1P / SRC HRO
Size Range	EU 38-48 • UK 5-13 • US 5.5-13.5 KOR 250-315 • JPN 24.0-31.5



HEAVY APPLICATION

HEAVY DUTY



X430 S3

Upper	Leather
Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	MAX-Tex membrane
Footbed	SJ Foam
Category	S3 / SRC ESD WR HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 235-315 • JPN 22.5-31.5



X330 S3

Upper	Leather
Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	MAX-Tex membrane
Footbed	SJ Foam
Category	S3 / SRC ESD WR HRO
Size Range	EU 38-48 • UK 5-13 • US 5.5-13.5 KOR 250-315 • JPN 24.0-31.5



HEAVY APPLICATION

HEAVY DUTY



ULTIMA S3

Upper Pull-up Leather
 Sole PU/Rubber
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Coolmax® / Mesh nylon
 Footbed SJ Foam
 Category S3 / SRC HRO ESD
 Size Range EU 37-48 • UK 4-13 • US 4.5-13.5
 KOR 240-315 • JPN 23.0-31.5



ALTAR S3 HIGH

Upper Abrasion Resistant Leather, Pull-up Leather
 Sole PU/Rubber
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Mesh polyester
 Footbed SJ Foam
 Category S3 / SRC HRO
 Size Range EU 36-48 • UK 3.5-13 • US 4-13.5
 KOR 235-315 • JPN 22.5-31.5



BASALT S3

Upper Waterproof Pull-up Leather
 Sole PU/Rubber
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining 3D Mesh+membrane
 Footbed SJ Foam
 Category S3 / SRC ESD WR
 Size Range EU 36-47 • UK 3.5-12 US 4-13
 KOR 235-310 • JPN 22.5-31.0



WORKERPLUS S3

Upper Pull-up Action Leather
 Sole PU/Rubber
 Toecap Steel
 Midsole Steel
 Lining Mesh Nylon
 Footbed SJ Foam
 Category S3 / SRC HRO
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 235-310 • JPN 22.5-31.0



NEW HEKLA S3 MID

Upper Full Grain Leather
 Sole Rubber
 Toecap Steel
 Midsole Steel
 Lining Mesh
 Footbed SJ Foam Footbed
 Category S3 HI CI FO HRO AN SR LG
 Size Range EU 38-48 • UK 5.0-13.0 US 5.5-13.5
 KOR 250-315 • JPN 24.0-31.5



ALTAR S3 MID

Upper Abrasion Resistant Leather, Pull-up Leather
 Sole PU/Rubber
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Mesh polyester
 Footbed SJ Foam
 Category S3 / SRC HRO
 Size Range EU 36-48 • UK 3.5-13 • US 4-13.5
 KOR 235-315 • JPN 22.5-31.5



LAVA S3

Upper Pull-up Leather
 Sole PU/PU
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Coolmax® / cosmo
 Footbed SJ Foam
 Category S3 / SRC ESD WR
 Size Range EU 42-47 • UK 8-12 • US 9-13
 KOR 270-310 • JPN 26.5-31.0



POWER2 S3

Upper Pull-up Action Leather
 Sole PU/Rubber
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Coolmax®
 Footbed SJ Foam
 Category S3 / SRC HRO
 Size Range EU 38-47 • UK 5-12 • US 5.5-13
 KOR 250-310 • JPN 24.0-31.0



HEAVY APPLICATION

SEASONAL



BESTBOOT2 S3

Upper Barton Action Leather
 Sole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Cambrella
 Footbed SJ Foam
 Category S3 / SRC
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 235-310 • JPN 22.5-31.0



NEW ALASKAC PRO

EXTRA WIDE TOE CAP

Upper Pull-up Action Leather
 Sole Rubber
 Toecap Steel
 Midsole Steel
 Lining Cambrella
 Footbed SJ Foam
 Category S3 / SRC
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 235-310 • JPN 22.5-31.0



BOREAS2 S3

Upper Pull-up Leather
 Sole PU/Rubber
 Toecap Composite
 Midsole Puncture resistant SJ FLEX
 Lining Cambrella
 Footbed SJ Foam
 Category S3 / SRC HRO
 Size Range EU 38-47 • UK 5-12 • US 5.5-13
 KOR 250-310 • JPN 24.0-31.0



BESTBOOT S3

Upper Barton Action Leather
 Sole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Teddy
 Footbed Fur
 Category S3 / SRC CI
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 235-310 • JPN 22.5-31.0



ALASKAC S3

Upper Pull-up Action Leather
 Sole PU/PU
 Toecap Steel
 Midsole Steel
 Lining Cambrella
 Footbed SJ Foam
 Category S3 / SRC
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 235-310 • JPN 22.5-31.0



NORDIC S3

WARM LINING

Upper Corrected Nappa Leather
 Sole PU/TPU
 Toecap Composite
 Midsole Puncture resistant SJ FLEX
 Lining SJ Teddy
 Footbed Fur
 Category S3 / SRC CI
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



HEAVY APPLICATION

SEASONAL



ARAS S3

SRC CI

Upper	Nappa Action Leather
Sole	PU/TPU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	3M Thinsulate
Footbed	SJ Foam
Category	S3 / SRC CI ESD
Size Range	EU 38-48 • UK 5-13 • US 5.5-13.5 KOR 250-315 • JPN 24.0-31.5



X1100N79 SB

Upper	Nappa Action Leather
Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Teddy
Footbed	Teddy
Category	SB / P SRC E CI FO
Size Range	EU 35-48 • UK 3.0-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



BESTBOY252 S3

WARM LINING

SRC HRO CI

Upper	Barton Action Leather
Sole	PU/Rubber
Toecap	Steel
Midsole	Steel
Lining	SJ Teddy
Footbed	Warm lining
Category	S3 / SRC HRO CI
Size Range	U 35-48 • UK 3-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



LABOR WINTER EH SB

Upper	Barton Action Leather
Sole	Rubber
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Teddy
Footbed	Teddy
Category	SB / P SRC E CI FO HRO
Size Range	EU 35-47 • UK 3.0-12 • US 3-13.0 KOR 230-310 • JPN 21.5-31.0



HERCULES S5

SRA

Upper	SJ PVC
Sole	PVC
Toecap	Steel
Midsole	Steel
Category	S5 / SRA
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 235-310 • JPN 22.5-31.0



APOLLO S5

Upper	SJ PVC
Sole	PVC
Toecap	Steel
Midsole	Steel
Lining	N/A
Footbed	N/A
Category	S5 SRA
Size Range	EU 36-47 • UK 3.5-12.0 US 4.0-13.0 KOR 235-310 • JPN 22.5-31.0



FORZA S1P


SRC ESD

Upper	Textile
Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Coolmax®
Footbed	SJ Foam
Category	S1P / SRC ESD
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 KOR 250-310 • JPN 24.0-31.0



HEAVY APPLICATION

EH (ELECTRICAL HAZARD) 18KV



EH footwear has such a high electrical resistance that it creates a solid barrier between you and the ground and does not allow electrical current to travel through the body. As it is fully isolating, EH footwear protects from harmful electrical current and is the ideal solution for environments with a high risk of electrocution.



DESERT-EH SB

Upper	Cotton
Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ-Flex
Lining	Cotton
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 235-310 • JPN 22.5-31.0



NEW

AAK EH LOW SB

Upper	Textile
Sole	Phylon/Rubber
Toecap	Composite
Midsole	Puncture resistant SJ-Flex
Lining	Mesh
Footbed	SJ Foam
Category	SB / PS SR E FO HRO
Size Range	EU 35-48 • UK 3.0-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



NEW

MILOS EH LOW SB

Upper	Textile
Sole	Phylon/Rubber
Toecap	Composite
Midsole	Puncture resistant SJ-Flex
Lining	Mesh
Footbed	SJ Foam
Category	SB / PS SR E FO HRO
Size Range	EU 35-48 • UK 3.0-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



HEAVY APPLICATION

EH (ELECTRICAL HAZARD) 18KV



GOBI EH LOW SB

Upper	Suede Leather, Mesh
Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ-Flex
Lining	Mesh nylon
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



JUMPER-EH SB

Upper	Textile, Suede Leather
Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ-Flex
Lining	Mesh nylon
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



X330-EH SB

Upper	Leather
Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	MAX-Tex membrane
Footbed	SJ Foam
Category	SB / SRC WR HRO EH
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 235-315 • JPN 22.5-31.5



DAKAR-EH SB

Upper	Pull-up Leather
Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ-Flex
Lining	Mesh suede
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 235-310 • JPN 22.5-31.0



019



X430-EH SB

Upper	Leather
Sole	PU/Rubber
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	MAX-Tex membrane
Footbed	SJ Foam
Category	SB / SRC WR HRO EH
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 235-315 • JPN 22.5-31.5



**PLUTO-EH SB
MARS-EH SB**

Upper	Pull-up Leather
Sole	PU/TPU
Toecap	Composite
Midsole	Puncture Resistant SJ FLEX
Lining	Mesh Nylon
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 36-47 • UK 3.5-12 US 4-13 KOR 235-310 • JPN 22.5-31.0



HEAVY APPLICATION

EH (ELECTRICAL HAZARD) 18KV



**X1110-EH SB
X1100N-EH SB**

Upper	Nappa Action Leather
Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Cambrella
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



RENA-EH SB

Upper	Barton Action Leather
Sole	Rubber
Toecap	Composite
Midsole	Puncture resistant SJ-Flex
Lining	Mesh nylon
Footbed	SJ Foam
Category	SB / SRC HRO EH
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



X1100N79 SB

Upper	Nappa Action Leather
Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ-Flex
Lining	Teddy
Footbed	Teddy
Category	SB / P SRC E CI FO
Size Range	EU 35-48 • UK 3.0-13 • US 3-13.5 KOR 230-315 • JPN 21.5-31.5



FLOW EH LOW SB

Upper	Mesh
Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ-Flex
Lining	Mesh
Footbed	SJ Foam
Category	SB / SRC EH
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



BERLINEH OB

Upper	Nappa Leather
Sole	PU/Rubber
Toecap	-
Midsole	-
Lining	Mesh suede
Footbed	SJ Foam
Category	OB / SRC EH
Size Range	EU 39-47 • UK 6-12 • US 6.5-13 KOR 255-310 • JPN 25.0-31.0



LABOR WINTER EH SB

Upper	Barton Action Leather
Sole	Rubber
Toecap	Composite
Midsole	Puncture resistant SJ-Flex
Lining	Teddy
Footbed	Teddy
Category	SB / P SRC E CI FO HRO
Size Range	EU 35-47 • UK 3.0-12 • US 3-13.0 KOR 230-310 • JPN 21.5-31.0



SAFETY JOGGER TIGER GRIP



OVERSHOES

As the European market leader in slip-resistant solutions and protective overshoes, Tiger Grip's mission is to protect people who move around on surfaces that present risks of slipping, impacts or other hazards. Tiger Grip overshoes are engineered for everyone who wants to offer visitors or employees high-quality foot protection in many different professional settings.

Maintain
your
grip?
EASY!



OCCASIONAL SAFETY



VISITOR

Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20C°
Size Range	S- EU34-38•UK2-5•US2-5.5•CM22-24 M- EU39-43•UK6-9•US6.5-10•CM25-28 L- EU44-48•UK10-13•US10.5-13.5•CM28.5-33+



VISITORMF

Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Composite
Material	Rubber + nylon rivets metal free
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20C°
Size Range	S- EU34-38•UK2-5•US2-5.5•CM22-24 M- EU39-43•UK6-9•US6.5-10•CM25-28 L- EU44-48•UK10-13•US10.5-13.5•CM28.5-33+



VISITORP

Standard	CE standard EN ISO 12378 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber + multidirectional straps
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20C°
Size Range	S- EU34-37•UK2-4•US2-4.5•CM22-23 M- EU38-42•UK5-8•US5.5-9•CM24-27 L- EU43-45•UK9-10.5•US10-11.5•CM28-29.5+ XL- EU46-48•UK11-13•US12-13.5•CM30-33+



VISITORI

Standard	CE standard EN ISO 12378 / EN ISO 12568 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber + multidirectional straps
Midsole	Steel
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20C°
Size Range	S- EU34-37•UK2-4•US2-4.5•CM22-23 M- EU38-42•UK5-8•US5.5-9•CM24-27 L- EU43-45•UK9-10.5•US10-11.5•CM28-29.5+ XL- EU46-48•UK11-13•US12-13.5•CM30-33+



VISITORC

Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber + multidirectional straps
Outsole	Rubber
Maintenance	Hand washable, dry naturally use ≥ -20C°
Size Range	S- EU34-38•UK2-5•US2-5.5•CM22-24 M- EU39-43•UK6-9•US6.5-10•CM25-28 L- EU44-48•UK10-13•US10.5-13.5•CM28.5-33+

OUTDOOR SAFETY



Interchangeable spike per order

WINTERGRIP

Standard	CE standard EN ISO 20344 SATRA TM 144:2011
Slip resistant	Tiger-grip® SRC
Material	Rubber+spikes in steel
Maintenance	Hand washable,dry naturally use ≥ -20C°
Size Range	EU38-42•UK5-8•US5.5-9•CM24-27



CITYGRIP

Standard	CE standard EN ISO 20344 SATRA TM 144:2011
Slip resistant	Tiger-grip® SRC
Material	Rubber+spikes in steel
Maintenance	Hand washable,dry naturally use ≥ -20C°
Size Range	S- EU34-38•UK2-5•US2-5.5•CM22-24 M- EU39-43•UK6-9•US6.5-10•CM25-28 L - EU44-48•UK10-13•US10.5-13.5•CM28.5-33+

ANTISLIP SAFETY



35



EASYGRIP

Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Material	100% Rubber
Maintenance	Hand washable,dry naturally use ≥ -20C°
Size Range	S- EU34-37•UK2-4•US2-4.5•CM22-23 M- EU38-42•UK5-8•US5.5-9•CM24-27 L- EU43-45•UK9-10.5•US10-11.5•CM28-29.5+ XL- EU46-48•UK11-13+•US12-13.5+•CM30-33+



EASYMAX

Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Material	100% Rubber
Outsole	Rubber
Maintenance	Hand washable,dry naturally use ≥ -20C°
Size Range	S- EU34-37•UK2-4•US2-4.5•CM22-24 M- EU38-40•UK5-7•US5.5-7.5•CM24-25.5 L- EU41-42•UK5-8•US8-9•CM26.5-27 XL- EU43-45•UK9-10.5•US10-11.5•CM28-29.5 XXL- EU46-48•UK11-13•US12-13.5•CM30-33+



TOTPROTEC

Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber
Outsole	Rubber
Maintenance	Hand washable,dry naturally use ≥ -20C°
Size Range	S- EU34-37•UK2-4•US2-4.5•CM22-23 M- EU38-42•UK5-8•US5.5-9•CM24-27 L- EU43-45•UK9-10.5•US10-11.5•CM28-29.5+ XL- EU46-48•UK11-13•US12-13.5•CM30-33+



TOTPROTECP

Standard	CE standard EN ISO 20345:2011 ASTM F2413:2018
Slip resistant	Tiger-grip® SRC
Safety toe cap	Aluminium/titanium
Material	Rubber
Midssole	Kevlar+Steel
Outsole	Rubber
Maintenance	Hand washable,dry naturally use ≥ -20C°
Size Range	S- EU34-37•UK2-4•US2-4.5•CM22-23 M- EU38-42•UK5-8•US5.5-9•CM24-27 L- EU43-45•UK9-10.5•US10-11.5•CM28-29.5+ XL- EU46-48•UK11-13+•US12-13.5+•CM30-33+



SAFETY JOGGER TACTICAL

TACTICAL

Comfort, durability and protection are key components of any tactical collection. Safety Jogger offers a wide variety of tactical boots that meet and exceed those demanding requirements and enhance performances in the field. This footwear is designed to help you excel in any tactical operation.

36

SECURITY



DRAGON S3

SRC ESD

Upper	Textile, Waterproof Leather
Sole	Impact oil resistant Phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh
Footbed	SJ Foam
Category	S3 / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3.5-13 KOR 230-310 • JPN 21.5-31.0



KOMODO S3

SRC ESD

Upper	Textile, Waterproof Leather
Sole	Impact oil resistant Phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh
Footbed	SJ Foam
Category	S3 / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3.5-13 KOR 230-310 • JPN 21.5-31.0

LAW ENFORCEMENT



SHARK S3

SRC ESD WR

Upper	Waterproof Leather
Sole	Impact oil resistant Phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh + unbranded waterproof membrane
Footbed	SJ Foam
Category	S3/SRC ESD WR
Size Range	EU 35-47 • UK 3-12 • US 3.5-13 KOR 230-310 • JPN 21.5-31.0



TROOPER S3

SRC WR HRO

Upper	Waterproof Leather
Sole	Phylon/Rubber
Toecap	Composite
Midsole	Puncture resistant SJ Flex
Lining	Coolmax® + unbranded waterproof membrane
Footbed	SJ Foam
Category	S3 / SRC WR HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 KOR 235-315 • JPN 22.5-31.5



TACTIC OB

SRA FO HRO

Upper	Nappa Action Leather, Textile
Sole	Rubber
Toecap	-
Midsole	-
Lining	Breathable technomesh
Footbed	SJ Foam
Category	OB / SRA FO HRO
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 KOR 235-310 • JPN 22.5-31.0



DUNE OB

SRA FO HRO

Upper	Suede Leather, Textile
Sole	Rubber
Toecap	-
Midsole	-
Lining	Mesh Nylon
Footbed	SJ Foam
Category	OB / SRA FO HRO
Size Range	EU 38-48 • UK 5-13 • US 5.5-13.5 KOR 250-315 • JPN 24.0-31.5



HEAD-TO-TOE PROTECTION

HEARING PROTECTION



ARUSHA

Material	Polyurethane foam - Anti allergic
Size range	EU UNI
Norms	EN 352-2:2003

200prs/Box
2000prs=10Box/Carton



ARUSHA CORDED

Material	Polyurethane foam - Anti allergic
Size range	EU UNI
Norms	EN 352-2:2003

100prs/Box
1000prs=10Box/Carton



ETOSHA I

Shell	Polyethylene
Headband	Polyethylene
Cushions	PVC
Foam	Polyester
Size range	EU UNI
Norms	EN 352-1:2003



ETOSHA II

Shell	ABS
Headband	Steel wire + PVC
Cushions	PVC
Foam	Polyethylene
Size range	EU UNI
Norms	EN 352-1:2003

HEAD PROTECTION



KANHA L CHINSTRAP

Shell	HDPE
Headband	Polyethylene
Liner strip	Textile
Ratchet	Polyethylene
Sweat absorber	Microfibre
Chin strap	Textile
Size range	EN UNI
Norms	EN 397:2012+A1:2012



KANHA S CHINSTRAP

Shell	HDPE
Headband	Polyethylene
Liner strip	Polyethylene
Ratchet	N/A
Sweat absorber	Microfibre
Chin strap	Textile
Size range	EN UNI
Norms	EN 397:2012+A1:2012

RESPIRATORY MASKS



STORA P2

Headband	Textile
Body	Polyester+non-woven fabric +melt-blown fabric
Valve	N/A
Sealing	N/A
Lock	Polyethylene
Size range	EN UNI
Sample weight	0.011 kg
Norms	BS EN 149:2001+A1:2009

200pcs=10box/Carton
10pcs of masks in a polybag
2 polybag / box



STORA V P2

Headband	Textile
Body	Polyester+non-woven fabric +melt-blown fabric
Valve	Polyamide
Sealing	N/A
Lock	Polyethylene
Size range	EN UNI
Sample weight	0.014 kg
Norms	BS EN 149:2001+A1:2009

100pcs=10box/Carton
10 masks in apolybag
1 polybag / box

EYEWEAR



YOHO

Lenses	Polycarbonate
Frame	N/A
Temples	Polycarbonate +TPR
Nose Pads	TPR
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF2-Optical Filter 2-1,2, *AF-Coating anti-fog
Size range	EU UNI
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box



YOHO SUN SPECTACLE

Lenses	Polycarbonate
Frame	N/A
Temples	Polycarbonate + TPR
Nose Pads	TPR
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF5-Optical Filter 5-2,5, *AF-Coating anti-fog
Size range	EU UNI
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box

EYEWEAR



TSAVO

Lenses	Polycarbonate
Frame	Polycarbonate
Temples	Polycarbonate +TPR
Removable Gasket	Nylon + EVA
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF2-Optical Filter 2-1,2, *AF-Coating anti-fog
Size range	EU UNI
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box



TSAVO SUN

Lenses	Polycarbonate
Frame	Polycarbonate
Temples	Polycarbonate +TPR
Removable Gasket	Nylon + EVA
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF5-Optical Filter 5-2,5, *AF-Coating anti-fog
Size range	EU UNI
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box



VIRUNGA

Lenses	Polycarbonate
Frame	N/A
Temples	Polycarbonate
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF2-Optical Filter 2-1,2,
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box



VIRUNGA COVER

Lenses	Polycarbonate
Frame	Polycarbonate
Temples	Polycarbonate
Safety standard	*F-Impact with a small object travelling at 45 meters per second, *OF2-Optical Filter 2-1,2,
Norms	EN 166:2001

100pcs=10box/Carton
Pack individual polybag 10Pcs/Box



GLOVES



PROSHIELD 4X42F

1 PACKS

- Ultra-high level of cut resistance with a fully wrist protection
- Extreme dexterity due to the 15 gauge lining
- Anti cut level 5/F
- Sizes 7, 8, 9, 10 and 11



*TDM - 100 test



PROCUT 4X42D

1 PACKS

- High level of cut resistance with a fully wrist protection
- Extreme dexterity due to the 18 gauge lining
- DMF free
- Anti cut level 5/D
- Sizes 7, 8, 9, 10 and 11



*TDM - 100 test



PROTECTOR 4X44C

BULK

- HPPE liner
- 1st layer in blue nitrile
- 2nd layer in black foamed nitrile
- Anti cut level 5/C
- Sizes 7, 8, 9, 10 and 11



*TDM - 100 test



SHIELD 4X43C

1 PACKS

BULK

- HPPE liner
- Polyurethane grip
- Anti cut level 5/C
- Sizes 7, 8, 9, 10 and 11



*TDM - 100 test



ALLFLEX 4131X

1 PACKS

BULK

- Nylon/spandex glove
- PU-nitrile micro foam coating
- DMF free
- Sizes 7, 8, 9, 10 and 11



TOUCHSCREEN GLOVE



CONSTRUCTO 3243X

1 PACKS

BULK

- Cotton/polyester glove
- Wrinkled latex grip
- Extremely flexible and solid
- Sizes 7, 8, 9, 10 and 11



SUPERPRO 4121X

BULK

- Polyester glove
- Black nitrile coating
- Oil resistant
- Sizes 7, 8, 9, 10 and 11



MULTITASK 4131X

BULK

- Polyester glove
- PU coating
- Oil resistant
- Available in black and white
- Sizes 7, 8, 9, 10 and 11

GLOVES



NEW PRO-IMPACT 4X42CP

- Anti Impact and cut resistant glove.
- HPPE liner.
- Nitrile Foam palm coating.
- High visibility color Strong TPR anti impact protection on back.
- Oil resistance and Repellency.
- Size 7, 8, 9, 10, 11



NEW ALLFLEXDOT 4131A

- Polyester glove
- Nitrile coating
- Extraordinary grip
- Extremely flexible and solid
- Sizes 7, 8, 9, 10 and 11

ACCESSORIES



SJ BAMBOO SOCK

2 PAIRS PER PACK
2 KINDS OF CARTON PACKAGE
SOLID SIZE 60PAIRS PER CARTON
MIXED SIZE 60PAIRS PER CARTON
3 SIZES IN 1

Material	77% bamboo fiber - 3% polyamide fiber 3% spandex - 17% polyester
Sizes	EU 38/40 - 41/43 - 44/46 - 47/48 UK 5/7 - 7.5/9 - 10/11 - 12/13 US 5.5/7.5 - 8/10 - 10.5/12 - 13/13.5 CM 24/25.5 - 26/27 - 28/30 - 31/31.5

SJCOMFORT 48 PAIRS PER SIZE/CARTON

Specifications	Extra comfortable heel support Ultra high ergonomic comfort Air breathability technology Arch support Coolmax®
Sizes	EU 36/38 - 39/41 - 42/44 - 45/47 UK 3.5/5 - 6/7 - 8/10 - 10.5/12 US 4/5.5 - 6.5/7.5 - 9/10.5 - 11.5/13 CM 23.5/25 - 25.5/26 - 27/28.5 - 29.5/31



SJSOCK2

3 PAIRS PER PACK
150 PAIRS PER CARTON
4 SIZES IN 1

Material	75% cotton - 23% polyester - 2% elastic
Sizes	EU 39/42 - 43/47 UK 6/8 - 9/12 US 6.5/9 - 10/13 CM 25.5/27 - 28/31



SJJACKET

Material	Nylon
Sizes	XL

- GLOVES | 120 pairs in export carton per size, per model.
- SJSOCK2 | single package per 3 pairs - 150 pairs per carton.
- SJCOMFORT | 48 pairs per carton.



LIGHT APPLICATION

Light application footwear is mainly used on even and dry floors with a limited risk of contact with liquids.



MEDIUM APPLICATION

Medium application footwear is engineered for dry and wet floors in an indoor environment.



HEAVY APPLICATION

For our professional collection, heavy application means that this type of footwear has special features and can be worn in special areas. More specifically, these shoes and clogs meet special cleaning needs, such as being machine washable or autoclavable.

The new standard for occupational footwear explained - EN ISO 20347:2022

Standards for PPE products are regularly reviewed and adapted when necessary. This is also the case for EN ISO 20347. Until April 2022, the 2012 version of the standard was in place. From then on, the updated 2022 standard came into effect.

Certificates do not expire when a standard is updated. This means the certificates of all shoes certified to EN ISO 20347:2012 remain valid until their expiration date (which is 5 years from the date of issue).

	CLASS 1 made from leather, textiles or synthetic materials								CLASS 2 made from rubber or polymeric materials					
	OB	O1	O2	O3	O3S	O3L	O6	O7	O7S	O7L	OB	O4	O5	O5S
Basic slip resistance (ceramic floor + soap solution)														
Closed heel														
A Antistatic														
E Heel energy absorption														
WPA Water penetration and absorption														
WR Waterproof														
P Metallic puncture resistant midsole (4.5mm nail)														
NEW PL / L Non-metallic puncture resistant midsole <i>PL = large nail 4.5mm</i> <i>PS = slim nail 3mm</i>														
Cleated outsole (cleat height ≥ 2,5mm)														



Play movie



45

just feels like
DANCING

BESTNURSE

Flexible and comfortable
slip-on sneaker

LIGHT APPLICATION

MOVE & LITEWALK



BESTNURSE 0B



WHT

Upper	Mesh, Synthetic
Outsole	EVA
Lining	Textile
Standard	EN ISO 20347 OB
Slip resistant	N/A
Anti-static	N/A
Footbed	Memory foam
Weight	ca. 210 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 KOR 230-270 • JPN 21.5-26.5



LAUREN 0B



WHT



BLK

Upper	Mesh, Synthetic
Outsole	EVA
Lining	Coolmax®
Standard	EN ISO 20347 OB
Slip resistant	N/A
Anti-static	-
Footbed	Memory foam
Weight	ca. 230 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 KOR 230-270 • JPN 21.5-26.5



HESTIA 01

SRC ESD



WHT

Upper	Nappa Action Leather
Outsole	Phylon/Rubber
Lining	Mesh
Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Footbed	SJ Foam
Weight	ca. 265 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 230-270 • JPN 21.5-26.5



LIGHT APPLICATION

MOVE & LITEWALK



ELIS 02 LOW

SRC ESD



WHT



BLK

Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	3D Mesh
Standard	CE standard EN ISO 20347 02 SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Footbed	SJ Foam
Weight	ca. 220 gr. per shoe
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



CARINNE 0B

SRC ESD



WHT



FUC



LBL

Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	Mesh
Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Footbed	SJ Foam
Weight	ca. 247 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 230-270 • JPN 21.5-26.5



ALIZEE 0B

SRC ESD



WHT



LBL



FUC

Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	Mesh
Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Footbed	SJ Foam
Weight	ca. 205 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 230-270 • JPN 21.5-26.5



EDEN 01 LOW

SRC ESD



BLK

Upper	Mesh, Synthetic Leather
Outsole	Phylon/Rubber
Lining	3D Mesh
Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Footbed	SJ Foam
Weight	ca. 220 gr. per shoe
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



DANY 0B

SRC ESD



WHT



LBL



MUG



MUL



BLK

Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	Mesh
Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Footbed	SJ Foam
Weight	ca. 216 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 230-270 • JPN 21.5-26.5



46

LIGHT APPLICATION

MOVE & LITEWALK



NILDA 01

SRC ESD

Upper Synthetic Leather
 Outsole Phylon/Rubber
 Lining Mesh
 Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Footbed SJ Foam
 Weight ca. 215 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 230-270 • JPN 21.5-26.5



LINA 0B

SRC ESD

Upper Synthetic Leather
 Outsole Phylon/Rubber
 Lining Mesh
 Standard CE standard EN ISO 20347 0B SRC ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Footbed SJ Foam
 Weight ca. 217 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 230-270 • JPN 21.5-26.5



SAMANTHA 0B

SRC ESD

Upper Nappa Leather
 Outsole Phylon/Rubber
 Lining Mesh
 Standard CE standard EN ISO 20347 0B SRC ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Footbed SJ Foam
 Weight ca. 239 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 230-270 • JPN 21.5-26.5



REMY 0B

SRC ESD

Upper Action Leather
 Outsole Phylon/Rubber
 Lining Coolmax®
 Standard CE standard EN ISO 20347 0B SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Footbed Memory foam
 Weight ca. 260 gr. per shoe
 Size Range EU 39-46 • UK 6-11 • US 6.5-12
 KOR 255-300 • JPN 25.0-30.0



CAMILLE 01

SRC ESD

Upper Synthetic Leather
 Outsole Phylon/Rubber
 Lining Mesh
 Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Footbed SJ Foam
 Weight ca. 230 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 230-270 • JPN 21.5-26.5



LISBETH 02

SRC ESD

Upper Nappa Leather
 Outsole Phylon/Rubber
 Lining Mesh
 Standard CE standard EN ISO 20347 02 SRC ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Footbed SJ Foam
 Weight ca. 233 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 230-270 • JPN 21.5-26.5



SHEILA 0B

SRC ESD

Upper Nappa Leather
 Outsole Phylon/Rubber
 Lining Mesh
 Standard CE standard EN ISO 20347 0B SRC ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Footbed SJ Foam
 Weight ca. 229 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 230-270 • JPN 21.5-26.5



ROY 01

SRC ESD

Upper Action Leather
 Outsole Phylon/Rubber
 Lining Coolmax®
 Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Footbed Memory foam
 Weight ca. 280 gr. per shoe
 Size Range EU 39-46 • UK 6-11 • US 6.5-12
 KOR 255-300 • JPN 25.0-30.0



LIGHT APPLICATION

SPORTS



SLOAN 01 LOW

SRC ESD

Upper Mesh, Synthetic
 Outsole Phylon/Rubber
 Lining Textile
 Standard EN ISO 20347:2012 - 01 SRC, ESD
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Footbed SJ Foam
 Weight ca. 225 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 3-9
 KOR 230-270 • JPN 21.5-26.5



MAUD 0B

SRA

Upper Mesh
 Outsole Phylon/Rubber
 Lining Mesh
 Standard CE standard EN ISO 20347 0B SRA
 Slip resistant SRA
 Anti-static -
 Footbed SJ Foam
 Weight ca. 310 gr. per shoe
 Size Range EU 36-42 • UK 3.5-8 • US 4-9
 KOR 235-270 • JPN 22.5-26.5



KASSIE 01

SRC

Upper 3D-Mesh
 Outsole Phylon/Rubber
 Lining Mesh
 Standard CE standard EN ISO 20347 01 SRC
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Footbed SJ Foam
 Weight ca. 225 gr. per shoe
 Size Range EU 35-48 • UK 3-13 • US 3-13.5
 KOR 230-315 • JPN 21.5-31.5



JAMES 0B

SRA

Upper Mesh
 Outsole Phylon/Rubber
 Lining Mesh
 Standard CE standard EN ISO 20347 0B SRA
 Slip resistant SRA
 Anti-static -
 Footbed SJ Foam
 Weight ca. 310 gr. per shoe
 Size Range EU 39-47 • UK 6-12 • US 6.5-13
 KOR 255-310 • JPN 25.0-31.0



LIGHT APPLICATION

UNIFORM



JULIA 0B

SRC

Upper Synthetic Leather
 Outsole PU/Rubber
 Lining Coolmax®
 Standard CE standard EN ISO 20347 0B SRC
 Slip resistant SRC
 Anti-static -
 Footbed SJ Foam
 Weight ca. 190 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 3-9
 KOR 230-270 • JPN 21.5-26.5



SUN 0B SLP

SRC ESD

Upper Synthetic Leather
 Outsole PU
 Lining Mesh
 Standard CE standard EN ISO 20347 0B SRC
 Slip resistant SRC
 Anti-static ESD
 Footbed SJ Foam
 Weight ca. 192 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 230-270 • JPN 21.5-26.5



JULIA2 0B

SRC

Upper Synthetic Leather
 Outsole PU/Rubber
 Lining Mesh
 Standard CE standard EN ISO 20347 0B SRC
 Slip resistant SRC
 Anti-static -
 Footbed SJ Foam
 Weight ca. 235 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 3-9
 KOR 230-270 • JPN 21.5-26.5



EVELYN 01

SRC ESD

Upper Mesh
 Outsole Phylon/Rubber
 Lining Mesh
 Standard CE standard EN ISO 20347 01 SRC
 Slip resistant Oxygrip® SRC
 Anti-static ESD
 Footbed SJ Foam
 Weight ca. 195 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 5.5-10.5
 KOR 230-270 • JPN 21.5-26.5



MEDIUM APPLICATION

UNIFORM



DUBLIN 02

SRC

Upper	Nappa Leather
Outsole	PU/Rubber
Lining	Mesh
Standard	CE standard EN ISO 20347 02 SRC
Slip resistant	SRC
Anti-static	Y
Footbed	SJ Foam
Weight	ca. 404 gr. per shoe
Size Range	EU 39-47 • UK 6-12 • US 6.5-13 KOR 255-310 • JPN 25.0-31.0



KAYLA 02

SRC ESD

Upper	Nappa Leather
Outsole	Phylon/Rubber
Lining	Mesh
Standard	CE standard EN ISO 20347 02 SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Footbed	SJ Foam
Weight	ca. 280 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 230-270 • JPN 21.5-26.5



BERLIN 02

SRC

Upper	Nappa Leather
Outsole	PU/Rubber
Lining	Mesh
Standard	CE standard EN ISO 20347 02 SRC
Slip resistant	SRC
Anti-static	Y
Footbed	SJ Foam
Weight	ca. 450 gr. per shoe
Size Range	EU 39-47 • UK 6-12 • US 6.5-13 KOR 255-310 • JPN 25.0-31.0



COLETTE 01

SRC ESD

Upper	Synthetic Leather
Outsole	EVA/Rubber
Lining	Coolmax®
Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Footbed	Removable
Weight	ca. 220 gr. per shoe
Size Range	EU 35-44 • UK 3-9.5 • US 3-10.5 KOR 230-285 • JPN 21.5-28.0



WHT



MEDIUM APPLICATION

MOVE & LITEWALK

COOLMAX®



WHT



BLK

EVAN 01

SRC ESD

Upper	Action Leather
Outsole	Phylon/Rubber
Lining	Coolmax®
Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Footbed	Memory foam
Weight	ca. 320 gr. per shoe
Size Range	EU 39-46 • UK 6-11 • US 6.5-12 KOR 255-300 • JPN 25.0-30.0

CHAMP 02 LOW

SRC ESD

Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	Textile
Standard	EN ISO 20347:2012 - 02 SRC, ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Footbed	SJ Foam
Weight	ca. 350 gr. per shoe
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



WHT



BLK

SOPHIE 01

SRC ESD

Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	Mesh
Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Footbed	SJ Foam
Weight	ca. 217 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 230-270 • JPN 21.5-26.5



BLK



WHT

FLR

FUC

PATRICIA 01

SRC ESD

Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	Coolmax®
Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Footbed	Removable, memory foam
Weight	ca. 250 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 KOR 230-270 • JPN 21.5-26.5



LPK



WHT



BLK

EVA 01

SRC ESD

Upper	Action Leather
Outsole	Phylon/Rubber
Lining	Coolmax®
Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Footbed	Memory foam
Weight	ca. 240 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 KOR 230-270 • JPN 21.5-26.5

DOMINIQUE 01

SRC ESD

Upper	Action Leather, Mesh
Outsole	PU/Rubber
Lining	3D Mesh
Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Footbed	SJ Foam
Weight	ca. 410 gr. per shoe
Size Range	EU 35-47 • UK 3-12 • US 3-13 KOR 230-310 • JPN 21.5-31.0



BLK

ELIANE 01

SRC ESD

Upper	Synthetic Leather
Outsole	Phylon/Rubber
Lining	Mesh
Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Footbed	SJ Foam
Weight	ca. 236 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 KOR 230-270 • JPN 21.5-26.5



BLK



WHT

LBL

FUC



HEAVY APPLICATION CLOGS



SMOOTH OB SRC ESD

Upper Expanded EVA
 Outsole EVA/Rubber
 Standard CE standard EN ISO 20347 OB SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Maintenance Not autoclavable, Washable at 30°C
 Chemically and UV sterilisable
 Weight ca. 240 gr. per shoe
 Size Range EU 36-46 • UK 3.5-11 • US 4-12
 KOR 235-300 • JPN 22.5-30.0



SONIC OB SRC ESD

Upper Expanded EVA
 Outsole EVA
 Standard CE standard EN ISO 20347 OB SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Maintenance Washable at 30°C
 Chemically and UV sterilisable
 Weight ca. 150 gr. per shoe
 Size Range EU 35/36-45/46 • UK 3/3.5-10.5/11
 US 3/4-11.5/12 • KOR 230/235-295/300
 JPN 21.5/22.5-29.0/30.0



OXYCLOG OB SRA ESD

Upper TPE
 Outsole TPE
 Standard CE standard EN ISO 20347 OB SRA ESD
 Slip resistant SRA
 Anti-static ESD
 Footbed N/A
 Maintenance Autoclavable at 135°C Washable at 90°C
 Chemically and UV sterilisable
 Weight ca. 240 gr. per shoe
 Size Range EU 35/36-45/46 • UK 3/3.5-10.5/11
 US 3/4-11.5/12 • KOR 230/235-295/300
 JPN 21.5/22.5-29.0/30.0



HEAVY APPLICATION CLOGS



OXYVA 01 SRC ESD

Upper Expanded EVA
 Outsole Expanded EVA
 Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Footbed SJ Foam
 Maintenance Washable at 30°C
 Chemically and UV sterilisable
 Weight ca. 200 gr. per shoe
 Size Range EU 35/36-45/46 • UK 3/3.5-10.5/11
 US 3/4-11.5/12 • KOR 230/235-295/300
 JPN 21.5/22.5-29.0/30.0



BESTCLOG OB SRC

Upper Expanded EVA
 Outsole EVA/Rubber
 Standard CE standard EN ISO 20347 OB SRC
 Slip resistant SRC
 Anti-static -
 Footbed SJ Foam
 Maintenance Washable at 30°C
 Chemically and UV sterilisable
 Weight ca. 250 gr. per shoe
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



BESTLIGHT 1 OB SRC

Upper Expanded EVA
 Outsole EVA/Rubber
 Standard CE standard EN ISO 20347 OB SRC
 Slip resistant SRC
 Anti-static -
 Footbed SJ Foam
 Safety toe cap -
 Maintenance Not autoclavable, Washable at 30°C
 Chemically and UV sterilisable
 Weight ca. 150 gr. per shoe
 Size Range EU 36-47 • UK 3.5-12 • US 4-13
 KOR 235-310 • JPN 22.5-31.0



OXYSAFE PB SRC ESD

Upper Expanded EVA
 Outsole EVA
 Standard CE standard EN ISO 20346 PB SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Safety toe cap Composite 100 Jules
 Footbed SJ Foam
 Maintenance Not autoclavable, Washable at 30°C
 Chemically and UV sterilisable
 Weight ca. 280 gr. per shoe
 Size Range EU 35/36-45/46 • UK 3/3.5-10.5/11
 US 3/4-11.5/12 • KOR 230/235-295/300
 JPN 21.5/22.5-29.0/30.0



BESTCLOG OB SRC

Upper Expanded EVA
 Outsole EVA/Rubber
 Standard CE standard EN ISO 20347 OB SRC
 Slip resistant SRC
 Anti-static -
 Footbed SJ Foam
 Maintenance Washable at 30°C
 Chemically and UV sterilisable
 Weight ca. 250 gr. per shoe
 Size Range EU 35-47 • UK 3-12 • US 3-13
 KOR 230-310 • JPN 21.5-31.0



OXYFOAM PER 24 PAIRS

Specifications Maximum cushioning
 Reduces muscle, foot, knee and back pain
 ESD standard ensures the dissipation of electrostatic charges
 3 sizes in 1: adjustable to every foot
 Coolmax®
 Size Range 3 sizes in 1, adjustable to every foot:
 36/37/38 and 39/40/41

SAFETY JOGGER

ADVENTURE



10 KM

CITY

MAKE MEMORIES ALL OVER THE WORLD

Fashionable outdoor shoes for urban explorers.



15 KM

FOREST

LEAVE THE ROADS, TAKE THE TRAILS

Solid hiking boots for nature lovers.



35 KM

MOUNTAIN

HIKE MORE, WORRY LESS

Sturdy hiking boots for true adventure seekers.

CITY 10 KM



GRY 40-47 NAV 40-47



LKH 36-47 OLP 36-41 MTG 36-41



BLK 36-47



LOGAN

Upper 3D-Mesh, Elastic
 Outsole Phylon/Rubber
 Lining Mesh
 Footbed SJ foam footbed
 Size Range EU 36-47 • UK 3.5-12.0 • US 4.0-13.0
 KOR 235-310 • JPN 22.5-31.0



DALLAS

Upper Mesh, Microfibre
 Outsole Phylon/Rubber
 Lining Membrane, Mesh
 Footbed SJ foam footbed
 Size Range EU 39-46 • UK 6.0-11.0 • US 6.5-12.0
 KOR 255-300 • JPN 25.0-30.0



STEADY

Upper Waterproof Leather
 Outsole Phylon/Rubber
 Lining 3D-Mesh, Membrane
 Footbed SJ foam footbed
 Size Range EU 39-47 • UK 6.0-12.0 • US 6.5-13.0
 KOR 255-310 • JPN 25.0-31.0



BLK



CAM

CAM BLK NAV



KHA

STREET

Upper Waterproof Leather
 Outsole Phylon/Rubber
 Lining 3D-Mesh, Membrane
 Footbed SJ foam footbed
 Size Range EU 36-47 • UK 3.5-12.0 • US 4.0-13.0
 KOR 235-310 • JPN 22.5-31.0



KHA



BLK

COLORADO

Upper 3D-Mesh, Synthetic Leather
 Outsole Phylon/Rubber
 Lining Nonwoven
 Footbed SJ foam footbed
 Size Range EU 39-47 • UK 6.0-12.0 • US 6.5-13.0
 KOR 255-310 • JPN 25.0-31.0



NEW

BOGOTA

Upper Knitted Recycled Textile, Synthetic Leather
 Outsole Phylon/Rubber
 Lining Recycled Mesh
 Footbed SJ foam footbed
 Size Range EU 40-47 • UK 7.0-12.0 • US 7.5-13.0
 KOR 260-310 • JPN 25.5-31.0



BLK



NEW

TAMBO MID

Upper Waterproof Leather
 Outsole Phylon/Rubber
 Lining Membrane, 3D-Mesh
 Footbed SJ foam footbed
 Size Range EU 40-47 • UK 7.0-12.0 • US 7.5-13.0
 KOR 260-310 • JPN 25.5-31.0



NEW

MANU

Upper Knitted Textile, TPU
 Outsole Phylon/Rubber
 Lining Membrane, 3D-Mesh
 Footbed SJ foam footbed
 Size Range EU 40-47 • UK 7.0-12.0 • US 7.5-13.0
 KOR 260-310 • JPN 25.5-31.0



G52 40-47



NEW

CARACAS

Upper Mesh, TPU
 Outsole Phylon/Rubber
 Lining Membrane, 3D-Mesh
 Footbed SJ foam footbed
 Size Range EU 36-47 • UK 3.5-12.0 • US 4.0-13.0
 KOR 235-310 • JPN 22.5-31.0



NEW

NAPO

Upper Mesh, TPU
 Outsole Phylon/Rubber
 Lining Textile
 Footbed SJ foam footbed
 Size Range EU 40-47 • UK 7.0-12.0 • US 7.5-13.0
 KOR 260-310 • JPN 25.5-31.0



NEW

TAMBO

Upper Waterproof Leather
 Outsole Phylon/Rubber
 Lining Membrane, 3D-Mesh
 Footbed SJ foam footbed
 Size Range EU 40-47 • UK 7.0-12.0 • US 7.5-13.0
 KOR 260-310 • JPN 25.5-31.0



NEW

LANOS

Upper Textile
 Outsole Recycled Phylon/Rubber
 Lining Nonwoven
 Footbed SJ foam footbed
 Size Range EU 40-47 • UK 7.0-12.0 • US 7.5-13.0
 KOR 260-310 • JPN 25.5-31.0



NEW

SANTIAGO

Upper Textile, TPU
 Outsole Recycled Phylon/Rubber
 Lining Mesh
 Footbed SJ foam footbed
 Size Range EU 36-47 • UK 3.5-12.0 • US 4.0-13.0
 KOR 235-310 • JPN 22.5-31.0



TAMAN MID

Upper Mesh
 Outsole Phylon/Rubber
 Lining Membrane, Mesh
 Footbed SJ foam footbed
 Size Range EU 39-46 • UK 6.0-11.0 • US 6.5-12.0
 KOR 255-300 • JPN 25.0-30.0



TAMAN

Upper Mesh
 Outsole Phylon/Rubber
 Lining Membrane, Mesh
 Footbed SJ foam footbed
 Size Range EU 36-46 • UK 3.5-11.0 • US 4.0-12.0
 KOR 235-300 • JPN 22.5-30.0



SCOUT

Upper Waterproof Leather
 Outsole Phylon/Rubber
 Lining 3D-Mesh, Membrane
 Footbed SJ foam footbed
 Size Range EU 36-47 • UK 3.5-12.0 • US 4.0-13.0
 KOR 235-310 • JPN 22.5-31.0



SCOUT LOW

Upper Waterproof Leather
 Outsole Phylon/Rubber
 Lining 3D-Mesh, Membrane
 Footbed SJ foam footbed
 Size Range EU 36-47 • UK 3.5-12.0 • US 4.0-13.0
 KOR 235-310 • JPN 22.5-31.0



MOUNTAIN 35 KM



SIERA

Upper Textile, Waterproof Leather
 Outsole Phylon/Rubber
 Lining 3D-Mesh, Membrane
 Footbed SJ foam footbed
 Size Range EU 39-47 • UK 6.0-12.0 • US 6.5-13.0
 KOR 255-310 • JPN 25.0-31.0



RICA

Upper Suede Leather, Textile
 Outsole PU/PU
 Lining 3D-Mesh, Membrane
 Footbed SJ foam footbed
 Size Range EU 35-47 • UK 3.0-12.0 • US 3.0-13.0
 KOR 230-310 • JPN 21.5-31.0



NAV 35-42

LEGEND

Upper Textile, Waterproof Leather
 Outsole PU/PU
 Lining 3D-Mesh
 Footbed SJ foam footbed
 Size Range EU 36-47 • UK 3.5-12.0 • US 4.0-13.0
 KOR 235-310 • JPN 22.5-31.0



BORNEO

Upper Suede Leather, Textile
 Outsole PU/PU
 Lining 3D-Mesh, Membrane
 Footbed SJ foam footbed
 Size Range EU 35-47 • UK 3.0-12.0 • US 3.0-13.0
 KOR 230-310 • JPN 21.5-31.0



JUNIOR



LOGAN JR 10 KM

Upper 3D-Mesh, Elastic, Mesh
 Outsole Phylon/Rubber
 Lining Mesh
 Footbed SJ foam footbed
 Size Range EU 30-35 • UK 11.5-3.0 • US 12.0-3.0
 KOR 205-230 • JPN 18.5-21.5



SCOUT JR 15 KM

Upper Waterproof Leather
 Outsole Phylon/Rubber
 Lining 3D-Mesh, Membrane
 Footbed SJ foam footbed
 Size Range EU 30-35 • UK 11.5-3.0 • US 12.0-3.0
 KOR 205-230 • JPN 18.5-21.5



STREET JR 10 KM

Upper Textile, Waterproof Leather
 Outsole Phylon/Rubber
 Lining 3D-Mesh, Membrane
 Footbed SJ foam footbed
 Size Range EU 30-35 • UK 11.5-3.0 • US 12.0-3.0
 KOR 205-230 • JPN 18.5-21.5



ICONS

- 2way stretch
- 4way stretch
- Breathable
- Comfort
- Detachable hood
- EN343:2019 class 4-1-x
- EN343:2019 class 4-4-x
- EN14058
- EN 14404:2010 class1
- EN ISO 20471:2013 class 1
- EN ISO 20471:2013 class 2
- EN ISO 20471:2013 class 3
- Knee pad pockets
- Multifunctional pockets
- Stretch
- Warm lining
- Water resistant
- Waterproof
- Windproof
- Memory foam
- Metalfree
- Non-marking outsole
- Oxygrip
- Rust proof
- Soft impact foam footbed
- Stretch
- Super breathable
- Touchscreen glove
- Warm lining
- Washable 30°C
- Washable 90°C
- Waterproof
- HACCP Hazard Analysis Critical Control Point
- EU Available in Europe
- CN Available in China
- FOB Available Worldwide
- 3-FIT system
- DGUV
- DMF free
- Leather
- Shoes for Crews
- Sympatex lining
- Vegan
- Vegan Loric
- Neskrid orthopedic solutions
- Grip
- Instant dry
- Electrostatic Discharge
- Extra wide
- Anticut
- Autoclavable 135°C
- Chemical and UV sterilizable
- Antistatic shoe
- Breathable upper
- CE norm
- Electrical hazard protection
- Heel energy absorption
- Oil- and fuel-resistant outsole
- Puncture-resistant midsole
- Safety toe cap
- Removable footbed
- Slip-resistant outsole
- Water-resistant uppers
- Anatomically shaped footbed
- Antibacterial
- Cold insulated
- Heat insulated
- Heat-resistant outsole
- Lightweight